

# eForce Battery Powered Crimping Tool



## FEATURES

- World's first electromechanical driven tool
- More than 1000 different interchangeable Die Sets available
- Process monitoring via LED-Display
- Low maintenance, due to electromechanical drive mechanism
- LED illuminated work area
- Low noise, compared to hydraulic driven tools
- Quickstop function, increase safety and prevents overcrimping
- Energy-saving function





Start Button with integrated multifunction LED-Display for indication of:

- Function standby
- Remaining battery capacity
- Overloading



Powerful electromechanical drive mechanism. No accident-sensitive hydraulic components.



Ergonomic working height when used for bench mount production



Fast charging time, thanks to a 30 minute charger





<b>P/N</b>	6370 0300 1 RT / 6370 0300 1-2 RT
<b>Description</b>	Battery Powered Crimping Tool in Portable Plastic Case Content: <ul style="list-style-type: none"> <li>• 1x eForce Battery Powered Crimping Tool</li> <li>• 1x Battery Charger (CLi 12)</li> <li>• With one (6370 0300 1 RT) or two (6370 0300 1-2 RT) Li-Ion Batteries (Milwaukee M12)</li> <li>• Space for Die Sets* and Locators* * Need to be purchased seperately</li> </ul>
<b>Voltage</b>	12 V
<b>Charging Time</b>	30 min.
<b>Dimensions (L x W x H)</b>	20" x 16.5" x 5"
<b>Tool Dimensions (L x W x H)</b>	11" x 6" x 2"
<b>Weight</b>	10.4 lbs.
<b>Tool Weight</b>	4.3 lbs.



Pictures for illustration purpose only. Shown Die Sets not included.

Takes all existing Crimp Die Sets and Locators from our Crimp System Tool (P/N 624 000 3), find your solution:

Scan QR-Code or go online to see all available Die Sets and Locators

for  
General Applications



<http://crimping.rennsteig.us>

for Automotive



<http://automotive.rennsteig.us>

for Solar



<http://components.rennsteig.us>

Search our Catalogs  
and Brochures



<http://download.rennsteig.us>

Get connected with Rennsteig - call or go online:

**Sales Office**  
301 Route 17 North,  
Suite 800  
Rutherford, NJ 07070

fon: 330-315-3044  
fax: 330-319-8135  
mobil: 201-275-5981  
web: [www.rennsteig.us](http://www.rennsteig.us)  
mail: [sales@rennsteig.us](mailto:sales@rennsteig.us)

**Technical Support**  
fax: 330-319-8135  
mobil: 201-275-5982  
web: [www.rennsteig.us](http://www.rennsteig.us)  
mail: [tech@rennsteig.us](mailto:tech@rennsteig.us)

**Warehouse**  
Somerdale, NJ 08083

**Headquarter Germany**  
An der Koppel 1  
98547 Viernau  
fon: 011 49 3 68 47 441 0  
fax: 011 49 3 68 47 441 17  
mail: [info@rennsteig.com](mailto:info@rennsteig.com)



**We are the manufacturer. WE KNOW HOW!**